Sheet 1 of 5

APPLICANT FACSIONS OF FORM PTO-1449	U.S. DEPARTMENT OF COMMERCE	ATTY BOCKET HO	SERON HO			
ag√ 7-as	PHYSHY AND THADSHARK OFFICE	AHN-070CP4	09/670,756			
LIST OF PUBLICATIONS O	ITED BY APPLICANT	APPLICANT				
(Use several sheet		Rhodes, K. et al.				
(232 0213131311	•	FRUNG DATE	anout .			
\		September 27, 2000	1646			

U.S. PATENT DOCUMENTS

Example 0000.mem/marker DATE make Quite particulate par

AI	WO 97/31112	08/97	PCT		753	<u>, , , , , , , , , , , , , , , , , , , </u>
		1 44.41	1	 Τ'	l	
11 A2 V	WO 98/16185	04/98	PCT			
V AT I	WO 99/49038	09/99	PCT			

OTHERS (including Author, Title, Date, Pertinent Pages, Etc.) Adachi, Y. et al., "Identification and characterization of SET, a nuclear phosphoprotein encoded by the translocation break point in acute undifferentiated leukemia," J. Biol. Chem., 269:2258-2262 (1994) Bilbe,G., et al., "Restin: a novel intermediate filament-associated protein highly expressed in the Read-Stemperg cells of Hodgkin's disease," EMBO J. 11 (6):2103-2113 (1992) AS Bonaldo et al., GenBank Accession Number AA859724 (online), "Calcium-binding protein NCS-1" (1998 Mar 14):; Buxbaum, Joseph D., et al., "Calsenilin: A calcium-binding protein that interacts with the A7 presentlins and regulates the levels of a presentlin fragment", Nature Medicine, Vol. 4, No. 10, pp. 1177-1181 (1998) Carrion, Angel M., et al., "DREAM is a CA2" -regulated transcriptional repressor", Nature, 8 vol. 398, pp 80-84 (1999) Castagna, Michela et al. "Molecular Characteristics of Mammalian and Insect Amino Acid Transporters: Implications for Amino Acid Homeostatis" The Journal of Experimental Biology 200:269-286 (1997); Cunningham, E. et al., "Phosphatidylinositol transfer protein dictates the rate of inositol trisphosphate production by promoting the synthesis of PIP2," Curr Biol. 5(7):775-83 (1995)A11 DeCastro, E. et al., "Regulation of rhodopsin phosphorylation by a family of neuronal calcium sensors" Biochem Biophys Res Commun.;216(1):133-40 1995) Dickeson, S.K., et al., "Isolation and sequence of cDNA clones encoding rat phosphatidylinositol transfer protein," J. Biol. Chem. 264 (28):16557-16564 (1989) Dixon, J., "Role of the Kv4.3 K+ channel in ventricular muscle. A molecular correlate for the transient outward current" Circ Res.;79(4):659-68. (1996) Endo, T.A. et al., "A new protein containing an SH2 domain that inhibits JAK kinase," Nature. 387(6636):921-4 (1997) Fukuda, J. et al., "Breakdown of cytoskeletal filaments selectively reduces Na and Ca spikes in cultured memmal neurones," Nature. 294(5836):82-5 (1981) Excernence Date Considered EXAMINER. Initial if reference consistered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Sheet 2 of 5 ATTY DOONET NO AND ICANT FACEBOOK OF FORMETO WAS COMMENCE PATENT AND TRADEMARK OFFICE AHN-070CP4 09/670,756 LIST OF PUBLICATIONS CITED BY APPLICANT Rhodes, K. et al. (Use several sheets if necessary) 7250 1646 September 27, 2000 U.S. PATENT DOCUMENTS 2456 SUNCLASS. FILING CATE DOCUMENT NUMBER DATE FOREIGN PATENT DOCUMENTS عكده SARCLASS TRAMBANON DATE OTHERS (including Author, Title, Date, Pertinent Pages, Etc.) 81 Funkhouser, J.D.; 'Amino-terminal sequence of a phospholipid transfer protein from rat,lung," Biochem. Biophys. Res. Commun. 145:1310-1314 (1987) Hoffman, D.A. et al., 'K+ channel regulation of signal propagation in dendrites of 82 hippocampal pyramidal neurons," Nature. 387(6636):869-75 (1897) 83 Hoffman, D.A. et al., "Downregulation of transient K+ channels in dendrites of hippocampal CA1 pyramidal neurons by activation of PKA and PKC," J Neurosci. 1B(10):3521-8 (1998) Honore, E. et al., "Different types of K+ channel current are generated by different levels of a single mRNA," EMBO J. 11(7):2485-71 (1992) 86 Hoppe-Seyler, "Purification and characterization of two putative HLA class II associated proteins: PHAPI and PHAPII," Biol. Chem., 375:113-126 (1994) 86 Jan, L.Y. et al., "How might the diversity of potassium channels be generated?" Trends Neurosci. 13(10):415-9 (1990) BZ Johnson, B.D. et al., "A cytoskeletal mechanism for Ca2+ channel metabolic dependence and inactivation by intracellular Ca2+," Neuron. 10(5):797-804 (1993) 88 Kaab, S. et al., "Molecular basis of transient outward potassium current downregulation in human heart failure: a decrease in Kv4.3 mRNA correlates with a reduction in current density" Circulation. 98(14):1383-93 (1998) 89 Kim, E. et al. "Clustering of Shaker-type K" channels by interaction with a family of membrane-associated guanylate kinases" Nature 378:85-88 (2 Nov 1995); Levin, G. et al., "Phosphorylation of a K+ channel alpha subunit modulates the inactivation conferred by a beta subunit. Involvement of cytoskeleton," J Biol Chem. 271(46):29321-8 (1996)811 LI, M., et al., "The myelold leukemia-associated protein SET is a potent inhibitor of protein phosphalase 2A," J. Biol. Chem. 271 (19):11059-11062 (1996) **B12** Lombardi, Stephen J. et al. "Structure-Activity Relationships of the K,B1 Inactivation Domain and its Putative Receptor Probed Using Peptide Analogs of Voltage-gated Potassium Channel α- and β-Supunits' The Journal of Biological Chemistry 273(46):30092-30096 (1998 Nov 13): 813 Masiakowski, P. et al., "Nerve growth factor induces the genes for two proteins related to a family of catcium-binding proteins in PC12 cells," Proc Natl Acad Sci U S A. 85(4):1277-81 (1988) Examiner Date Considered 1-12-03 EXMINER Initial if reference considered, whether or not chasion is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next

communication to applicant.

						Sheet 3 of 5								
APPLICANT PACSIMILE OF FORM PTO MAN APPLICANT PACSIMILE OF FORM PTO MAN APPLICANT PACSIMILE OF FORM PTO MAN PARTON AND TRADELMAN OFFICE PARTON AND TRADELMAN						. 1	IN OTOCIDA	00/670	1					
LIST OF PUBLICATIONS CITED BY APPLICANT						AHN-070CP4 09/670,756								
	(Use several sheets if necessary)						Rhodes, K. et al.							
1	•							ontember 27 20	1646					
L								September 27, 2000 1046						
U.S. PATENT D								CUMENTS						
044		R DOCLMENT PLANSIN DATE					~~£		GASS	SUBCLARS FEING DATE FARRESPRATE				
									l					
FOREIGN PATENT DOCUMENTS										,				
				Азака павкоро	DATE		Country		auss	540CLASS	TRAN	POTA E		
	OTHERO Code dies Author The Date Codice Describer													
	OTHERS (including Author, Title, Date, Pertinent Pages, Etc.) // C1 Nagase,T. et al., "Prediction of the coding sequences of unidentified human genes. XI.									ci.				
1 6	The complete sequences of 100 new cDNA clones from brain which code for larg								•••					
//	7	ß	┝			Res. 5 (5):277-20			ocogen	e cet acco	ciale	d with		
L				Nagata, K. et al., "Replication factor encoded by a putative oncogene, set, associated with myeloid teukemogenesis," <i>Proc. Natl. Acad. Sci. U.S.A.</i> , 92:4279–4283 (1996)								J WIGH		
	ŢП	C3	Г	Naka, T. et al., "Structure and function of a new STAT-induced STAT inhibitor," Nature.								re.		
 	H	C4	-	387(6638):924-9 (1997) Nakamura, T.Y. et al., "Modulation of Kv4 channels, key components of rat ventricular										
	Ш			transient outward K+ current, by PKC," Am J Physiol. 273(4 Pt 2):H1775-86 (1997)								H		
		C5		National Cancer Intsitute-Cancer Genome Aanatomy Project, GenBank Accession										
				Number Al038858 [online], "Homo sapiens cDNA clone IMAGE:1659605 3" similar to SW:VIS3_Rat P35333 Visinin-like Protein" (1998-Jul-01).										
		C6		Nerbonne, J., "Regulation of voltage-gated K+ channel expression in the developing										
\vdash		C7	_	mammalian myocardium", J Neurobiol.:37(1):37-59. (1998)Review Panaretou, C. et al., "Characterization of p150, an adaptor protein for the human										
H		-		phosphatidylinositol (Ptdlns) 3-kinase. Substrate presentation by phosphatidylinositol										
11		ļ	transfer protein to the p150.Ptdins 3-kinase complex," J Biol Chem. 272(4):2477-85 (1997)											
\sqcap	C8 Pierre,P., et al., "CLIP-170 links endocytic vesicles to microtubules," Cell 70 (6):887-900									200				
$\vdash \vdash$	(1992)													
Ш			subunits" Som. Neurosci. 7:137-146 (1995)								e ta			
	C10 Prevarskaya, N.B. et al., 'Role of tyrosine phosphorylation in potassium channel													
	activation. Functional association with prolactin receptor and JAK2 tyrosine kinase," J Bit Chem. 270(41):24292-9 (1995)								BiOl					
\prod	C11 Scannevin, R.H. and Trimmer, J.S. "Cytoplasmic Domains of Voltage-Sensitive K"													
	-	ŀ		Channels Involved in Mediating Protein-Protein Interactions Biochemical and Biophysical Research Communications 232:685-589 (1997);										
		C12	Serodio, P. et al., "Cloning of a Novel Component of A-Type K" Channels Operating at							n				
Supthreshold Potential with Unique Expression in Heart and Brian Journal of Neurophysiology, Vol. 75, No. 5, pp. 2174-2179 (1996)							_							
Exar	niner		4		27, 70, 7,	ω, 190. Ο, μμ. 217		CODE-GOVER	()	. 2				
	1 1 1 2 1	ED:							().(_				
-50	Mini	cH.		// Innough ata	MECENT IT MODE IN	dered, whether or no conformance and n	x citatic ot cons	on is an conformation afored. Include cop	e with Mile by of this	EP 609; Drav form with next	v inne			
			_	COLLEGE	bon to applic	zant.						4		

Speet_4 of 5 ATTY DOORST NO US DEPARTHENT OF APPLICANT FACSHELL OF FORM PTO-1418 COMMERCE PATENT AND TRADEMAN OFFICE 09/670,756 AHN-070CP4 LIST OF PUBLICATIONS CITED BY APPLICANT (Use several sheets if necessary) Rhodes, K. et al. CHOU 1646 September 27, 2000 U.S. PATENT DOCUMENTS DOCLMENT PLANSER DATE FOREIGN PATENT DOCUMENTS GASS TRANSLATION DOCUMENT NUMBER DATE OTHERS (including Author, Title, Date, Pertinent Pages, Etc.) Sheng, M. et al., "Subcellular segregation of two A-type K+ channel proteins in rat central Di neurons," Neuron. 9(2):271-84 (1992) Sheng, M. and Kim, E. "Ion channel associated proteins" Current Opinion in Neurobiology 02 6:602-608 (1996) Simon, H.U. et al., "Molecular characterization of hNRP, a cDNA encoding a human **D3** nucleosome-assembly-protein-I-related gane product involved in the induction of cell proliferation." Biochem. J., 297:389-397 (1994) Starr, R. et al., "A family of cytokine-inducible inhibitors of signalling," Nature. 387(6636):917-21 (1997) **D5** Touchot, N. et al., "Four additional members of the ras gene superfamily isolated by an oligonucleotide strategy: molecular cloning of YPT-related cDNAs from a rat brain library," Proc Natl Acad Sci U S A. 84(23):8210-4 (1987) DS Van Hille, B. et al., "Identification of two subunit A isoforms of the vacuolar H(+)-ATPase in human osteociastoma," J Biol Chem. 268(10):7075-80 (1993) D7 Von Lindem, M. et al., "Can, a putative oncogene associated with myeloid leukemogenesis, may be activated by fusion of its 3' half to different genes: characterization of the set gene." Mol. Cell Biol., 12:3346-3355 (1992) Då Rhodes, K. et al. BLASTN Search in EST Database using the mouse p19 nucleic acid Sequence (2000) D9 Rhodes, K. et al. BLASTN Search in Nucleic Acid Database using the mouse p19 nucleic acid Sequence (2000) 010 Rhodes, K. et al. BLASTN Search using the human 1v protein sequence (2000) ום Rhodes, K. et al. BLASTN Search in EST Database using the rat 1vl nucleic acid sequence (2000) Rhodes, K. et al. BLASTN Search in Nucleic Acid Database using the rat 1vt nucleic acid sequence (2000) D13 Rhodes, K. et al. BLASTN Search in EST Database using the human 9gl nucleic acid sequence (2000) Examinar Date Considered 11-03 *EXAMINER: knitral if reference considered, whether or not citation is in conformance with MPEP 609; Draw line

through citation if not in conformance and not considered. Include copy of this form with next

communication to applicant.

Sneet 5 of 5 U.S. DEPARTMENT OF ATTY DOCKET MO PALICUM PACSONE UP PONMETTO-1448 COMMERCE PATENT AND TRADESSARIE OFFICE. AHN-070CP4 09/670,756 LIST OF PUBLICATIONS CITED BY APPLICANT (Use several sheets if necessary) Rhodes, K. et al. 1646 September 27, 2000 U.S. PATENT DOCUMENTS RACIAM 0.466 DOCUMENT MARKET DATE FOREIGN PATENT DOCUMENTS 2455 MACASS PATRICIAN THE BEAUTIE DATE TRANSIA A DOM OTHERS (including Author, Title, Date, Pertinent Pages, Etc.) Rhodes, K. et al. BLASTN Search in Nucleic Acid Database using the human 9ql nucleic acid sequence (2000) GenBank accession number: AB018264 for Homo sapiens mRNA for KIAA0721 protein. partial cds. (1998) GenBank accession number: U51924 for Human phosphatase 2A inhibitor I2PP2A mRNA, complete cds. (1996) E4 GenBank accession number: P30622 for restin (cytoplasmic limker protein-170 alpha-2) (ctip-170) (reed-Stemberg intermediate filament associated protein). (1992) E5 GenBank accession number: P38606 for vacuolar ATP synthase catalytic subunit A, ubiquitous isoform (V-atpase 69 KD subunit) (isoform VA68). (1993) EB GenBank accession number: 846091 HS-1063-A1-C02-MR.abi CIT Human Genomic Sperm Library C Homo saplens genomic clone Plate=CT 796 Col=3 Row=E, genomic survey sequence (1997) 67 GenBank accession number: P05712 for ras-related protein RAB-2. (1987) GenBank accession number: P16446 for phosphatidylinositol transfer protein alpha E.B isoform (PTDINS transfer protein alpha) (PTDINSTP) (PI-TP-alpha). (1987) GenBank accession number: M26758 for Rat phosphatidylinosital transfer protein mRNA, complete cds. (1989) E10 GenBank accession number: AA849706 for EST192473 Normalized rat muscle, Bento Soares Rattus sp. cDNA clone RMUAH89 3' end, mRNA sequence. (1998) GenBank accession number: AA757119 for ah53h07.s1 Soares testis NHT Homo sapiens cDNA clone 1309405 3', mRNA sequence. (1998) GenBank accession number: AU035979 Sugano mouse brain mncb Mus musculus cDNA £12 clong MNCb-7005, mRNA sequence. (1998) **Date Considered** 13-0) EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line excussion if not in conformance and not considered. Include copy of this form with next

communication to applicant